

## Regularized meshless method for antiplane piezoelectricity problems with multiple inclusions

K.H. Chen<sup>1,2</sup>, J.H. Kao<sup>3</sup> and J.T. Chen<sup>4</sup>

**Abstract:** In this paper, solving antiplane piezoelectricity problems with multiple inclusions are attended by using the regularized meshless method (RMM). This is made possible that the troublesome singularity in the MFS disappears by employing the subtracting and adding-back techniques. The governing equations for linearly electro-elastic medium are reduced to two uncoupled Laplace's equations. The representations of two solutions of the two uncoupled system are obtained by using the RMM. By matching interface conditions, the linear algebraic system is obtained. Finally, typical numerical examples are presented and discussed to demonstrate the accuracy of the solutions.

**Keywords:** antiplane shear, piezoelectricity, regularized meshless method, method of fundamental solutions, subtracting and adding-back techniques, electric field, displacement field, inclusion.

### 1 Introduction

In recent years, the significant progress in the development of piezoelectric materials or structures has been made by the research community [Bleustein (1968), Chung and Ting (1996), Honein; Honein and Herrmann (1992), Honein and Honein (1995), Pak (1992), Sladek; Sladek and Zhang (2007), Sladek; Sladek; Zhang; Garcia-Sanche and Wünsche (2006), Sze; Jin; Sheng and Li (2003), Wu and Syu (2006)]. It is well known that piezoelectric materials undergo deformation because of the electro-mechanical coupling phenomenon. Bleustein (1968) investigated the antiplane piezoelectric dynamics problem and discovered the existence of Bleustein wave. Pak (1992) has considered a more general case by introducing

---

<sup>1</sup> Department of Civil Engineering, National Ilan University, Ilan 20647, Taiwan

<sup>2</sup> Corresponding author. E-mail: khc6177@niu.edu.tw

<sup>3</sup> Department of Hydraulic and Ocean Engineering, National Cheng Kung University, Tainan 70101, Taiwan

<sup>4</sup> Department of Harbor and River Engineering, National Taiwan Ocean University, Keelung 20224, Taiwan

a piezoelectric inclusion, which in the limiting case of vanishing elastic and piezoelectric constants, become a permeable hole containing free space with electric fields. He obtained an analytical solution by using the alternative method. Later, Honein and Honein (1995) have visited the problem of two circular piezoelectric fibers subjected to out-of-plane displacement and in-plane electric fields. On the other hand, Chung and Ting (1996) have used basic solution [Stroh (1962)] approach for solving the problem of an elliptic hole in a solid of anisotropic material. Zhong and Meguid (1997) employ the complex variable method to treat the partially-debonded circular inhomogeneity problems in materials under antiplane shear and inplane electric field. In 1997, Chen and Chiang solved for 2D problems of an infinite piezoelectric medium containing a solitary cavity or rigid inclusion of arbitrary shape, subjected to a coupled antiplane mechanical and inplane electric load at the matrix by using the conformal mapping technique. In recent years, Chao and Chang (1999) studied the stress concentration and tangential stress distribution on double piezoelectric inclusions by using the complex variable theory and the method of successive approximations. Wu; Chen and Meng (2000) employ conformal mapping and the theorem of analytic continuation to solve the problem of two piezoelectric circular cylindrical inclusions in the infinite piezoelectric medium. Based on the method of fundamental solutions (MFS) [Alves and Antunes (2005), Godinho; Tadeu and Amado (2007), Chen; Golberg and Hon (1998), Fairweather and Karageorghis (1998), Kupradze and Aleksidze (1964), Poullikkas; Karageorghis and Georgiou (1998), Reutskiy (2005), Tsangaris; Smyrlis and Karageorghis (2004) Young; Tsai; Lin and Chen (2006)], we will develop a novel meshless method to solve antiplane piezoelectricity problems with multiple inclusions without the troublesome singularity which is embedded in the linear algebraic system.

The MFS is one important method of the meshless methods [Atluri; Liu and Han (2006), Han and Atluri (2004), Li and Atluri (2008), Liu; Han; Rajendran and Atluri (2008), Sladek; Sladek and Atluri (2004), Sladek; Sladek; Sulek and Wen (2008), Sladek; Sladek; Sulek; Wen and Atluri (2008), Sze; Jin; Sheng and Li (2003)] and belongs to a boundary method of boundary value problems, which can be viewed as a discrete type of indirect boundary element method. The method is relatively easy to implement. It is adaptive in the sense that it can take into account sharp changes in the solution and in the geometry of the domain [Chen; Kuo; Chen and Cheng (2000), Chen; Chen; Chen; Lee and Yeh (2004)] and can easily treat with complex boundary conditions [Karageorghis and Georgiou (1998)]. A survey of the MFS and related methods over the last thirty years has been found [Kupradze and Aleksidze (1964)]. However, the MFS is still not a popular method because of the debatable artificial boundary distance of source location in numerical imple-

mentation especially for a complicated geometry. The diagonal coefficients of influence matrices are divergent in the conventional case when the fictitious boundary is far away from the physical boundary. It results in an ill-posed problem when the fictitious boundary approaches the physical boundary since the condition number for the influence matrix becomes very large.

We have developed a modified MFS, namely regularized meshless method (RMM), to overcome the drawback of MFS [Chen; Kao; Chen; Young and Lu (2006), Young Chen and Lee (2006)]. The method eliminates the well-known drawback of equivocal artificial boundary. The subtracting and adding-back techniques [Chen; Kao; Chen; Young and Lu (2006), Young; Chen and Lee (2005), Young; Chen and Lee (2006)] can regularize the singularity and hypersingularity of the kernel functions. This method can simultaneously distribute the observation and source points on the physical boundary even using the singular kernels instead of non-singular kernels [Chen; Chang; Chen and Lin (2002), Chen; Chang; Chen and Chen (2002)]. The diagonal terms of the influence matrices can be extracted out by using the proposed technique. Recently, a simple approach to derive the analytical formula of the diagonal elements of the interpolation matrix of the regularized meshless method (RMM) for regular and irregular domain problems have been studied [Chen and Song (2009), Song and Chen (2009)].

This paper is an extension work of the paper [Chen; Chen and Kao (2008)] for solving the antiplane elasticity problem. The RMM is extended to solve the antiplane piezoelectricity problem and multiple inclusions with arbitrary shape embedded in an infinite matrix in this paper. A general-purpose program was developed to solve antiplane piezoelectricity problems with arbitrary number of inclusions. The results are compared with analytical solutions and those of the method of successive approximations [Chao and Chang (1999)]. Furthermore, the tangential electric field distribution and stress concentration for different ratios of piezoelectric module will be studied through several examples to show the validity of our method.

## 2 Governing equation and boundary conditions

Consider piezoelectric inclusions embedded in an infinite domain as shown in Fig. 1. The inclusions and matrix have different material properties. The matrix is subjected to a remote antiplane shear,  $\sigma_{zy} = \tau_{\infty}$ , and a remote inplane electric field,  $E_y = E_{\infty}$ . A uniform electric field can be induced in piezoelectric material by applying a potential field  $E = E_{\infty}$ .

For this problem, the out-of-plane elastic displacement  $w$  and the electric potential  $\phi$  are only functions of  $x$  and  $y$ , such that

$$w = w(x, y), \quad \phi = \phi(x, y). \quad (1)$$




Figure 1: Problem sketch

The equilibrium equations [Chao and Chang (1999)] for the stresses and the electric displacements are

$$\partial \sigma_{zx} / \partial x + \partial \sigma_{zy} / \partial y = 0, \quad \partial D_x / \partial x + \partial D_y / \partial y = 0, \quad (2)$$

where  $\sigma_{zx}$  and  $\sigma_{zy}$  are the shear stresses, while  $D_x$  and  $D_y$  are the electric displacements. For linear piezoelectric materials, the constitutive relations [Chao and Chang (1999)] are written as

$$\begin{aligned} \sigma_{zx} &= c_{44} \gamma_{zx} - e_{15} E_x, & \sigma_{zy} &= c_{44} \gamma_{zy} - e_{15} E_y, \\ D_x &= e_{15} \gamma_{zx} + \epsilon_{11} E_x, & D_y &= e_{15} \gamma_{zy} + \epsilon_{11} E_y, \end{aligned} \quad (3)$$

in which  $\gamma_{zx}$  and  $\gamma_{zy}$  are the shear strains,  $E_x$  and  $E_y$  are the electric fields,  $c_{44}$  is the elastic modulus,  $e_{15}$  denotes the piezoelectric modulus and  $\epsilon_{11}$  represents the dielectric modulus. The shear strains  $\gamma_{zx}$  and  $\gamma_{zy}$  and the electric fields  $E_x$  and  $E_y$  are obtained by taking gradient of the displacement potential  $w$  and the electric potential  $\phi$  by the following relations:

$$\begin{aligned} \gamma_{zx} &= \partial w / \partial x, & \gamma_{zy} &= \partial w / \partial y, \\ E_x &= -\partial \phi / \partial x, & E_y &= -\partial \phi / \partial y. \end{aligned} \quad (4)$$

Substituting Eqs. (3) and (4) into (2), we can obtain the following governing equations:

$$\begin{cases} c_{44}\nabla^2 w + e_{15}\nabla^2\phi = 0 \\ e_{15}\nabla^2 w - \varepsilon_{11}\nabla^2\phi = 0 \end{cases} \quad (5)$$

From Eq. (5), we can obtain the equations as

$$\nabla^2 w = 0, \quad \nabla^2\phi = 0, \quad (6)$$

where  $\nabla^2$  is the Laplacian operator. The continuity conditions across the matrix-inclusion interface are written as

$$w^i = w^m, \quad \sigma_{zr}^i = \sigma_{zr}^m, \quad (7)$$

$$\phi^i = \phi^m, \quad D_r^i = D_r^m, \quad (8)$$

where the superscripts  $i$  and  $m$  denote the inclusion and material, respectively. The loading is remote shear.

### 3 Review of conventional method of fundamental solutions

By employing the RBF technique [Chen and Tanaka (2002), Cheng (2000)], the representation of the solution in Eq. (6) for multiple inclusions problem as shown in Fig. 1, can be approximated in terms of the strengths  $\alpha_j$  of the singularities at  $s_j$  as

$$u(x_i) = \sum_{j=1}^N T(s_j, x_i)\alpha_j = \sum_{j=1}^{N_1} T(s_j, x_i)\alpha_j + \sum_{j=N_1+1}^{N_1+N_2} T(s_j, x_i)\alpha_j + \cdots \\ + \sum_{j=N_1+N_2+\cdots+N_{m-1}+1}^N T(s_j, x_i)\alpha_j, \quad (9)$$

and

$$t(x_i) = \sum_{j=1}^N M(s_j, x_i)\alpha_j = \sum_{j=1}^{N_1} M(s_j, x_i)\alpha_j + \sum_{j=N_1+1}^{N_1+N_2} M(s_j, x_i)\alpha_j + \cdots \\ + \sum_{j=N_1+N_2+\cdots+N_{m-1}+1}^N M(s_j, x_i)\alpha_j, \quad (10)$$

where  $u(x_i)$  can be denoted as  $w(x_i)$  or  $\phi(x_i)$ ,  $t(x_i) = \partial u(x_i)/\partial n_x$ ,  $T(s_j, x_i)$  is RBF,  $x_i$  and  $s_j$  represent the  $i$ th observation point and the  $j$ th source point, respectively,

$\alpha_j$  are the  $j$ th unknown coefficients (strength of the singularity),  $N_1, N_2, \dots, N_m$  are the numbers of source points on  $m$  numbers of boundaries of inclusions, respectively, while  $N$  is the total numbers of source points ( $N = N_1 + N_2 + \dots + N_m$ ) and  $M(s_j, x_i) = \partial T(s_j, x_i) / \partial n_{x_i}$ . After BCs are satisfied at the boundary points, the coefficients  $\{\alpha_j\}_{j=1}^N$  are determined. The chosen bases are the double layer potentials [Chen; Kao; Chen; Young and Lu (2006), Young; Chen and Lee (2005)] as

$$T(s_j, x_i) = \frac{-\langle (x_i - s_j), n_j \rangle}{r_{ij}^2}, \quad (11)$$

$$M(s_j, x_i) = \frac{2\langle (x_i - s_j), n_j \rangle \langle (x_i - s_j), \bar{n}_i \rangle - \langle n_j, \bar{n}_i \rangle}{r_{ij}^4}, \quad (12)$$

where  $\langle \cdot, \cdot \rangle$  is the inner product of two vectors,  $r_{ij}$  is  $|s_j - x_i|$ ,  $n_j$  is the normal vector at  $s_j$ , and  $\bar{n}_i$  is the normal vector at  $x_i$ .

It is noted that the double layer potentials have both singularity and hypersingularity when source and field points coincide, which lead to difficulty in the conventional MFS. The fictitious distance between the fictitious (auxiliary) boundary and the physical boundary,  $d$ , needs to be chosen deliberately. To overcome the abovementioned shortcoming,  $s_j$  is distributed on the physical boundary, by using the proposed regularized technique as written in Section 4.

#### 4 Regularized meshless method

The antiplane piezoelectricity problem with multiple inclusions is decomposed into two parts as shown in Fig. 2.

One is the exterior problem for the matrix with holes subjected to the far-displacement field and far-electric field, the other is the interior problem for each inclusion. The two boundary data of matrix and inclusion satisfy the interface conditions in Eqs. (7) and (8). Furthermore, the exterior problem for the matrix with holes subjected to a far-displacement field and far-electric field can be superimposed by two systems as shown in Fig. 3.

One is an infinite domain with no hole subjected to a far-displacement field and far-electric field, the other is the matrix with holes. The representations of the two solutions for the interior problem ( $w(x_i^I)$  and  $\phi(x_i^I)$ ) and exterior problem ( $w(x_i^O)$  and  $\phi(x_i^O)$ ) are formulated by using the RMM as follows:

##### 4.1 Interior problem

When the collocation point  $x_i$  approaches the source point  $s_j$ , the kernels in Eqs. (9) and (10) become singular. Eqs. (9) and (10) for the multiple-inclusions problem




Figure 2: Decomposition of the problem

need to be regularized by using the regularization of subtracting and adding-back techniques [Chen; Kao; Chen; Young and Lu (2006), Young; Chen and Lee (2005)] as follows:

$$\begin{aligned}
 u(x_i^I) &= \sum_{j=1}^{N_1} T(s_j^I, x_i^I) \alpha_j + \dots + \sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} T(s_j^I, x_i^I) \alpha_j + \dots \\
 &+ \sum_{j=N_1+\dots+N_{m-2}+1}^{N_1+\dots+N_{m-1}} T(s_j^I, x_i^I) \alpha_j + \sum_{j=N_1+\dots+N_{m-1}+1}^N T(s_j^I, x_i^I) \alpha_j \\
 &- \sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} T(s_j^I, x_i^I) \alpha_i, \quad x_i^I \in B_p, \quad p = 1, 2, 3, \dots, m \quad (13)
 \end{aligned}$$

where  $u(x_i^I)$  can be denoted as  $w(x_i^I)$  and  $\phi(x_i^I)$  in which the superscript  $I$  denotes the interior domain,  $x_i^I$  is located on the boundaries  $B_p$  ( $p = 1, 2, 3, \dots, m$ ), and

$$\sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} T(s_j^I, x_i^I) = 0, \quad x_i^I \in B_p, \quad p = 1, 2, 3, \dots, m. \quad (14)$$




Figure 3: Decomposition of the problem of Fig. 2 (a)

The detailed derivations of Eq. (14) are given in the reference [Young; Chen and Lee (2005)]. Therefore, we can obtain

$$\begin{aligned}
 u(x_i^I) &= \sum_{j=1}^{N_1} T(s_j^I, x_i^I) \alpha_j + \dots + \sum_{j=N_1+\dots+N_{p-1}+1}^{i-1} T(s_j^I, x_i^I) \alpha_j + \sum_{j=i+1}^{N_1+\dots+N_p} T(s_j^I, x_i^I) \alpha_j + \dots \\
 &+ \sum_{j=N_1+\dots+N_{m-2}+1}^{N_1+\dots+N_{m-1}} T(s_j^I, x_i^I) \alpha_j + \sum_{j=N_1+\dots+N_{m-1}+1}^N T(s_j^I, x_i^I) \alpha_j \\
 &- \left[ \sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} T(s_j^I, x_i^I) - T(s_i^I, x_i^I) \right] \alpha_i, \quad x_i^I \in B_p, \quad p = 1, 2, 3, \dots, m. \quad (15)
 \end{aligned}$$

Similarly, the boundary flux is obtained as

$$\begin{aligned}
 t(x_i^I) = & \sum_{j=1}^{N_1} M(s_j^I, x_i^I) \alpha_j + \cdots + \sum_{j=N_1+\cdots+N_{p-1}+1}^{N_1+\cdots+N_p} M(s_j^I, x_i^I) \alpha_j + \cdots \\
 & + \sum_{j=N_1+\cdots+N_{m-2}+1}^{N_1+\cdots+N_{m-1}} M(s_j^I, x_i^I) \alpha_j + \sum_{j=N_1+\cdots+N_{m-1}+1}^N M(s_j^I, x_i^I) \alpha_j \\
 & - \sum_{j=N_1+\cdots+N_{p-1}+1}^{N_1+\cdots+N_p} M(s_j^I, x_i^I) \alpha_i, \quad x_i^I \in B_p, \quad p = 1, 2, 3, \dots, m. \quad (16)
 \end{aligned}$$

where  $t(x_i^I) = \partial u(x_i^I) / \partial n_{x_i}$  and

$$\sum_{j=N_1+\cdots+N_{p-1}+1}^{N_1+\cdots+N_p} M(s_j^I, x_i^I) = 0, \quad x_i^I \in B_p, \quad p = 1, 2, 3, \dots, m. \quad (17)$$

The detailed derivations of Eq. (14) are also given in the reference [Young; Chen and Lee (2005)]. Therefore, we obtain

$$\begin{aligned}
 t(x_i^I) = & \sum_{j=1}^{N_1} M(s_j^I, x_i^I) \alpha_j + \cdots + \sum_{j=N_1+\cdots+N_{p-1}+1}^{i-1} M(s_j^I, x_i^I) \alpha_j \\
 & + \sum_{j=i+1}^{N_1+\cdots+N_p} M(s_j^I, x_i^I) \alpha_j + \cdots + \sum_{j=N_1+\cdots+N_{m-2}+1}^{N_1+\cdots+N_{m-1}} M(s_j^I, x_i^I) \alpha_j \\
 & + \sum_{j=N_1+\cdots+N_{m-1}+1}^N M(s_j^I, x_i^I) \alpha_j - \left[ \sum_{j=N_1+\cdots+N_{p-1}+1}^{N_1+\cdots+N_p} M(s_j^I, x_i^I) - M(s_i^I, x_i^I) \right] \alpha_i, \\
 & x_i^I \in B_p, \quad p = 1, 2, 3, \dots, m. \quad (18)
 \end{aligned}$$

### 4.2 Exterior problem

When the observation point  $x_i^O$  locates on the boundaries  $B_p$  ( $p = 1, 2, 3, \dots, m$ ), Eq. (13) becomes

$$\begin{aligned}
 u(x_i^O) = & \sum_{j=1}^{N_1} T(s_j^O, x_i^O) \alpha_j + \cdots + \sum_{j=N_1+\cdots+N_{p-1}+1}^{N_1+\cdots+N_p} T(s_j^O, x_i^O) \alpha_j + \cdots \\
 & + \sum_{j=N_1+\cdots+N_{m-2}+1}^{N_1+\cdots+N_{m-1}} T(s_j^O, x_i^O) \alpha_j + \sum_{j=N_1+\cdots+N_{m-1}+1}^N T(s_j^O, x_i^O) \alpha_j \\
 & - \sum_{j=N_1+\cdots+N_{p-1}+1}^{N_1+\cdots+N_p} T(s_j^I, x_i^I) \alpha_i, \quad x_i^{OorI} \in B_p, \quad p = 1, 2, 3, \dots, m, \quad (19)
 \end{aligned}$$

where  $u(x_i^O)$  can be denoted as  $w(x_i^O)$  and  $\phi(x_i^O)$  in which the superscript  $O$  denotes the exterior domain,  $x_i^O$  is also located on the boundaries  $B_p$  ( $p = 1, 2, 3, \dots, m$ ). Hence, we obtain

$$\begin{aligned}
 u(x_i^O) &= \sum_{j=1}^{N_1} T(s_j^O, x_i^O) \alpha_j + \dots + \sum_{j=N_1+\dots+N_{p-1}+1}^{i-1} T(s_j^O, x_i^O) \alpha_j \\
 &+ \sum_{j=i+1}^{N_1+\dots+N_p} T(s_j^O, x_i^O) \alpha_j + \dots + \sum_{j=N_1+\dots+N_{m-1}}^{N_1+\dots+N_{m-1}} T(s_j^O, x_i^O) \alpha_j \\
 &+ \sum_{j=N_1+\dots+N_{m-1}+1}^N T(s_j^O, x_i^O) \alpha_j - \left[ \sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} T(s_j^I, x_i^I) - T(s_i^O, x_i^O) \right] \alpha_i, \\
 & \qquad \qquad \qquad x_i^{OorI} \in B_p, \quad p = 1, 2, 3, \dots, m. \quad (20)
 \end{aligned}$$

Similarly, the boundary flux is obtained as

$$\begin{aligned}
 t(x_i^O) &= \sum_{j=1}^{N_1} M(s_j^O, x_i^O) \alpha_j + \dots + \sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} M(s_j^O, x_i^O) \alpha_j + \dots \\
 &+ \sum_{j=N_1+\dots+N_{m-2}+1}^{N_1+\dots+N_{m-1}} M(s_j^O, x_i^O) \alpha_j + \sum_{j=N_1+\dots+N_{m-1}+1}^N M(s_j^O, x_i^O) \alpha_j \\
 &\quad - \sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} M(s_j^I, x_i^I) \alpha_i, \quad x_i^{OorI} \in B_p, \quad p = 1, 2, 3, \dots, m, \quad (21)
 \end{aligned}$$

where  $t(x_i^O) = \partial u(x_i^O) / \partial n_{x_i}$ . Hence, we obtain

$$\begin{aligned}
 t(x_i^O) &= \sum_{j=1}^{N_1} M(s_j^O, x_i^O) \alpha_j + \dots + \sum_{j=N_1+\dots+N_{p-1}+1}^{i-1} M(s_j^O, x_i^O) \alpha_j \\
 &+ \sum_{j=i+1}^{N_1+\dots+N_p} M(s_j^O, x_i^O) \alpha_j + \dots + \sum_{j=N_1+\dots+N_{m-2}+1}^{N_1+\dots+N_{m-1}} M(s_j^O, x_i^O) \alpha_j \\
 &+ \sum_{j=N_1+\dots+N_{m-1}+1}^N M(s_j^O, x_i^O) \alpha_j - \left[ \sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} M(s_j^I, x_i^I) - M(s_i^O, x_i^O) \right] \alpha_i, \\
 & \qquad \qquad \qquad x_i^{OorI} \in B_p, \quad p = 1, 2, 3, \dots, m. \quad (22)
 \end{aligned}$$

According to the dependence of the normal vectors for inner and outer boundaries [Young; Chen and Lee (2005)], their relationships are

$$\begin{cases} T(s_j^I, x_i^I) = -T(s_j^O, x_i^O), & i \neq j \\ T(s_j^I, x_i^I) = T(s_j^O, x_i^O), & i = j \end{cases} \quad (23)$$

$$\begin{cases} M(s_j^I, x_i^I) = M(s_j^O, x_i^O), & i \neq j \\ M(s_j^I, x_i^I) = M(s_j^O, x_i^O), & i = j \end{cases} \quad (24)$$

where the left and right hand sides of the equal sign in Eqs. (23) and (24) denote the kernels for observation and source point with the inward and outward normal vectors, respectively.

By using the proposed technique, the singular terms in Eqs. (9) and (10) have been

transformed into regular terms  $(-\left[ \sum_{j=N_1+N_2+\dots+N_{p-1}+1}^{N_1+N_2+\dots+N_p} T(s_j^I, x_i^I) - T(s_i^{I \text{ or } O}, x_i^{I \text{ or } O}) \right]$   
 and  $-\left[ \sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} M(s_j^I, x_i^I) - M(s_i^{I \text{ or } O}, x_i^{I \text{ or } O}) \right])$  in Eqs. (15), (18), (20) and

(22), respectively, where  $p = 1, 2, 3, \dots, m$ . The terms of  $\sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} T(s_j^I, x_i^I)$

and  $\sum_{j=N_1+\dots+N_{p-1}+1}^{N_1+\dots+N_p} M(s_j^I, x_i^I)$  are the adding-back terms and the terms of  $T(s_i^{I \text{ or } O}, x_i^{I \text{ or } O})$

and  $M(s_i^{I \text{ or } O}, x_i^{I \text{ or } O})$  are the subtracting terms in the two brackets for regularization. After using the abovementioned method of regularization of subtracting and adding-back techniques [Chen; Kao; Chen; Young and Lu (2006), Young; Chen and Lee (2005)], we are able to remove the singularity and hypersingularity of the kernel functions.

## 5 Derivation of influence matrices for arbitrary domain problems

### 5.1 Interior problem (Inclusion)

From Eqs. (15) and (18), the linear algebraic system can be obtained as:

$$\begin{Bmatrix} u_1 \\ \vdots \\ u_N \end{Bmatrix} = \begin{bmatrix} [T_{11}^I] & \cdots & [T_{1N}^I] \\ \vdots & \ddots & \vdots \\ [T_{N1}^I] & \cdots & [T_{NN}^I] \end{bmatrix} \begin{Bmatrix} \alpha_1 \\ \vdots \\ \alpha_N \end{Bmatrix}, \quad u \in w \text{ or } \phi, \quad (25)$$

$$\begin{Bmatrix} t_1 \\ \vdots \\ t_N \end{Bmatrix} = \begin{bmatrix} [M_{11}^I] & \cdots & [M_{1N}^I] \\ \vdots & \ddots & \vdots \\ [M_{N1}^I] & \cdots & [M_{NN}^I] \end{bmatrix} \begin{Bmatrix} \alpha_1 \\ \vdots \\ \alpha_N \end{Bmatrix}, \quad t \in \frac{\partial w}{\partial n} \text{ or } \frac{\partial \phi}{\partial n}, \quad (26)$$

where  $w$  and  $\phi$  denote the out-of-plane elastic displacement and in-of-plane electric potential, respectively, and

$$[T_{11}^I] = \begin{bmatrix} A_{11} & T(s_2^I, x_1^I) & \cdots & T(s_{N_1}^I, x_1^I) \\ T(s_1^I, x_2^I) & A_{22} & \cdots & T(s_{N_1}^I, x_2^I) \\ \vdots & \vdots & \ddots & \vdots \\ T(s_1^I, x_{N_1}^I) & T(s_2^I, x_{N_1}^I) & \cdots & A_{NN} \end{bmatrix}_{N_1 \times N_1}, \tag{27}$$

where

$$A_{11} = - \left[ \sum_{j=1}^{N_1} T(s_j^I, x_1^I) - T(s_1^I, x_1^I) \right],$$

$$A_{22} = - \left[ \sum_{j=1}^{N_1} T(s_j^I, x_2^I) - T(s_2^I, x_2^I) \right],$$

$$A_{NN} = - \left[ \sum_{j=1}^{N_1} T(s_j^I, x_{N_1}^I) - T(s_{N_1}^I, x_{N_1}^I) \right].$$

$$[T_{1N}^I] = \begin{bmatrix} T(s_{N_1+\dots+N_{m-1}+1}^I, x_1^I) & T(s_{N_1+\dots+N_{m-1}+2}^I, x_1^I) & \cdots & T(s_N^I, x_1^I) \\ T(s_{N_1+\dots+N_{m-1}+1}^I, x_2^I) & T(s_{N_1+\dots+N_{m-1}+2}^I, x_2^I) & \cdots & T(s_N^I, x_2^I) \\ \vdots & \vdots & \ddots & \vdots \\ T(s_{N_1+\dots+N_{m-1}+1}^I, x_{N_1}^I) & T(s_{N_1+\dots+N_{m-1}+2}^I, x_{N_1}^I) & \cdots & T(s_N^I, x_{N_1}^I) \end{bmatrix}_{N_1 \times N_m} \tag{28}$$

$$[T_{N1}^I] = \begin{bmatrix} T(s_1^I, x_{N_1+\dots+N_{m-1}+1}^I) & T(s_2^I, x_{N_1+\dots+N_{m-1}+1}^I) & \cdots & T(s_{N_1}^I, x_{N_1+\dots+N_{m-1}+1}^I) \\ T(s_1^I, x_{N_1+\dots+N_{m-1}+2}^I) & T(s_2^I, x_{N_1+\dots+N_{m-1}+2}^I) & \cdots & T(s_{N_1}^I, x_{N_1+\dots+N_{m-1}+2}^I) \\ \vdots & \vdots & \ddots & \vdots \\ T(s_1^I, x_N^I) & T(s_2^I, x_N^I) & \cdots & T(s_{N_1}^I, x_N^I) \end{bmatrix}_{N_m \times N_1} \tag{29}$$

$$[T_{NN}^I] = \begin{bmatrix} A_{11} & \cdots & T(s_{N_1+\dots+N_{m-1}+1}^I, x_N^I) \\ \vdots & \ddots & \vdots \\ T(s_N^I, x_{N_1+\dots+N_{m-1}+1}^I) & \cdots & A_{NN} \end{bmatrix}_{N_m \times N_m} \tag{30}$$

where

$$\begin{aligned}
 A_{11} &= - \left[ \sum_{j=N_1+\dots+N_{m-1}+1}^N T(s_j^I, x_{N_1+\dots+N_{m-1}+1}^I) - T(s_{N_1+\dots+N_{m-1}+1}^I, x_{N_1+\dots+N_{m-1}+1}^I) \right], \\
 A_{NN} &= - \left[ \sum_{j=N_1+\dots+N_{m-1}+1}^N T(s_j^I, x_N^I) - T(s_{N_1+\dots+N_{m-1}+1}^I, x_N^I) \right], \\
 [M_{11}^I] &= \begin{bmatrix} A_{11} & M(s_2^I, x_1^I) & \cdots & M(s_{N_1}^I, x_1^I) \\ M(s_1^I, x_2^I) & A_{22} & \cdots & M(s_{N_1}^I, x_2^I) \\ \vdots & \vdots & \ddots & \vdots \\ M(s_1^I, x_{N_1}^I) & M(s_2^I, x_{N_1}^I) & \cdots & A_{NN} \end{bmatrix}_{N_1 \times N_1}, \tag{31}
 \end{aligned}$$

where

$$\begin{aligned}
 A_{11} &= - \left[ \sum_{j=1}^{N_1} M(s_j^I, x_1^I) - M(s_1^I, x_1^I) \right], \\
 A_{22} &= - \left[ \sum_{j=1}^{N_1} M(s_j^I, x_2^I) - M(s_2^I, x_2^I) \right], \\
 A_{NN} &= - \left[ \sum_{j=1}^{N_1} M(s_j^I, x_{N_1}^I) - M(s_{N_1}^I, x_{N_1}^I) \right], \\
 [M_{1N}^I] &= \begin{bmatrix} M(s_{N_1+\dots+N_{m-1}+1}^I, x_1^I) & M(s_{N_1+\dots+N_{m-1}+2}^I, x_1^I) & \cdots & M(s_N^I, x_1^I) \\ M(s_{N_1+\dots+N_{m-1}+1}^I, x_2^I) & M(s_{N_1+\dots+N_{m-1}+2}^I, x_2^I) & \cdots & M(s_N^I, x_2^I) \\ \vdots & \vdots & \ddots & \vdots \\ M(s_{N_1+\dots+N_{m-1}+1}^I, x_{N_1}^I) & M(s_{N_1+\dots+N_{m-1}+2}^I, x_{N_1}^I) & \cdots & M(s_N^I, x_{N_1}^I) \end{bmatrix}_{N_1 \times N_m}, \tag{32}
 \end{aligned}$$

$$\begin{aligned}
 [M_{N1}^I] &= \\
 & \begin{bmatrix} M(s_1^I, x_{N_1+\dots+N_{m-1}+1}^I) & M(s_2^I, x_{N_1+\dots+N_{m-1}+1}^I) & \cdots & M(s_{N_1}^I, x_{N_1+\dots+N_{m-1}+1}^I) \\ M(s_1^I, x_{N_1+\dots+N_{m-1}+2}^I) & M(s_2^I, x_{N_1+\dots+N_{m-1}+2}^I) & \cdots & M(s_{N_1}^I, x_{N_1+\dots+N_{m-1}+2}^I) \\ \vdots & \vdots & \ddots & \vdots \\ M(s_1^I, x_N^I) & M(s_2^I, x_N^I) & \cdots & M(s_{N_1}^I, x_N^I) \end{bmatrix}_{N_m \times N_1}, \tag{33}
 \end{aligned}$$

$$[M_{NN}^I] = \begin{bmatrix} A_{11} & \cdots & M(s_{N_1+\dots+N_{m-1}+1}^I, x_N^I) \\ \vdots & \ddots & \vdots \\ M(s_N^I, x_{N_1+\dots+N_{m-1}+1}^I) & \cdots & A_{NN} \end{bmatrix}_{N_m \times N_m}, \quad (34)$$

where

$$A_{11} = - \left[ \sum_{j=N_1+\dots+N_{m-1}+1}^N M(s_j^I, x_{N_1+\dots+N_{m-1}+1}^I) - M(s_{N_1+\dots+N_{m-1}+1}^I, x_{N_1+\dots+N_{m-1}+1}^I) \right],$$

$$A_{NN} = - \left[ \sum_{j=N_1+\dots+N_{m-1}+1}^N M(s_j^I, x_N^I) - M(s_N^I, x_N^I) \right].$$

## 5.2 Exterior problem (Matrix)

Eqs. (20) and (22) yield

$$\begin{Bmatrix} u_1 \\ \vdots \\ u_N \end{Bmatrix} = \begin{bmatrix} [T_{11}^O] & \cdots & [T_{1N}^O] \\ \vdots & \ddots & \vdots \\ [T_{N1}^O] & \cdots & [T_{NN}^O] \end{bmatrix} \begin{Bmatrix} \alpha_1 \\ \vdots \\ \alpha_N \end{Bmatrix}, \quad u \in w \text{ or } \phi, \quad (35)$$

$$\begin{Bmatrix} t_1 \\ \vdots \\ t_N \end{Bmatrix} = \begin{bmatrix} [M_{11}^O] & \cdots & [M_{1N}^O] \\ \vdots & \ddots & \vdots \\ [M_{N1}^O] & \cdots & [M_{NN}^O] \end{bmatrix} \begin{Bmatrix} \alpha_1 \\ \vdots \\ \alpha_N \end{Bmatrix}, \quad t \in \frac{\partial w}{\partial n} \text{ or } \frac{\partial \phi}{\partial n}, \quad (36)$$

in which

$$[T_{11}^O] = \begin{bmatrix} A_{11} & T(s_2^O, x_1^O) & \cdots & T(s_{N_1}^O, x_1^O) \\ T(s_1^O, x_2^O) & A_{22} & \cdots & T(s_{N_1}^O, x_2^O) \\ \vdots & \vdots & \ddots & \vdots \\ T(s_1^O, x_{N_1}^O) & T(s_2^O, x_{N_1}^O) & \cdots & A_{NN} \end{bmatrix}_{N_1 \times N_1}, \quad (37)$$

in which

$$A_{11} = - \left[ \sum_{j=1}^{N_1} T(s_j^I, x_1^I) - T(s_1^O, x_1^O) \right],$$

$$A_{22} = - \left[ \sum_{j=1}^{N_1} T(s_j^I, x_2^I) - T(s_2^O, x_2^O) \right],$$

$$A_{NN} = - \left[ \sum_{j=1}^{N_1} T(s_j^I, x_{N_1}^I) - T(s_{N_1}^O, x_{N_1}^O) \right].$$

$$[T_{1N}^O] = \begin{bmatrix} T(s_{N_1+\dots+N_{m-1}+1}^O, x_1^O) & T(s_{N_1+\dots+N_{m-1}+2}^O, x_1^O) & \cdots & T(s_N^O, x_1^O) \\ T(s_{N_1+\dots+N_{m-1}+1}^O, x_2^O) & T(s_{N_1+\dots+N_{m-1}+2}^O, x_2^O) & \cdots & T(s_N^O, x_2^O) \\ \vdots & \vdots & \ddots & \vdots \\ T(s_{N_1+\dots+N_{m-1}+1}^O, x_{N_1}^O) & T(s_{N_1+\dots+N_{m-1}+2}^O, x_{N_1}^O) & \cdots & T(s_N^O, x_{N_1}^O) \end{bmatrix}_{N_1 \times N_m}, \quad (38)$$

$$[T_{N1}^O] = \begin{bmatrix} T(s_1^O, x_{N_1+\dots+N_{m-1}+1}^O) & T(s_2^O, x_{N_1+\dots+N_{m-1}+1}^O) & \cdots & T(s_{N_1}^O, x_{N_1+\dots+N_{m-1}+1}^O) \\ T(s_1^O, x_{N_1+\dots+N_{m-1}+2}^O) & T(s_2^O, x_{N_1+\dots+N_{m-1}+2}^O) & \cdots & T(s_{N_1}^O, x_{N_1+\dots+N_{m-1}+2}^O) \\ \vdots & \vdots & \ddots & \vdots \\ T(s_1^O, x_N^O) & T(s_2^O, x_N^O) & \cdots & T(s_{N_1}^O, x_N^O) \end{bmatrix}_{N_m \times N_1}, \quad (39)$$

$$[T_{NN}^O] = \begin{bmatrix} A_{11} & \cdots & T(s_{N_1+\dots+N_{m-1}+1}^O, x_N^O) \\ \vdots & \ddots & \vdots \\ T(s_N^O, x_{N_1+\dots+N_{m-1}+1}^O) & \cdots & A_{NN} \end{bmatrix}_{N_m \times N_m}, \quad (40)$$

in which

$$A_{11} = - \left[ \sum_{j=N_1+\dots+N_{m-1}+1}^N T(s_j^I, x_{N_1+\dots+N_{m-1}+1}^I) - T(s_{N_1+\dots+N_{m-1}+1}^O, x_{N_1+\dots+N_{m-1}+1}^O) \right],$$

$$A_{NN} = - \left[ \sum_{j=N_1+\dots+N_{m-1}+1}^N T(s_j^I, x_N^I) - T(s_N^O, x_N^O) \right].$$

$$[M_{11}^O] = \begin{bmatrix} A_{11} & M(s_2^O, x_1^O) & \cdots & M(s_{N_1}^O, x_1^O) \\ M(s_1^O, x_2^O) & A_{22} & \cdots & M(s_{N_1}^O, x_2^O) \\ \vdots & \vdots & \ddots & \vdots \\ M(s_1^O, x_{N_1}^O) & M(s_2^O, x_{N_1}^O) & \cdots & A_{NN} \end{bmatrix}_{N_1 \times N_1}, \quad (41)$$

in which

$$A_{11} = - \left[ \sum_{j=1}^{N_1} M(s_j^I, x_1^I) - M(s_1^O, x_1^O) \right],$$

$$A_{22} = - \left[ \sum_{j=1}^{N_1} M(s_j^I, x_2^I) - M(s_2^O, x_2^O) \right],$$

$$A_{NN} = - \left[ \sum_{j=1}^{N_1} M(s_j^I, x_{N_1}^I) - M(s_{N_1}^O, x_{N_1}^O) \right]$$

$$[M_{1N}^O] = \begin{bmatrix} M(s_{N_1+\dots+N_{m-1}+1}^O, x_1^O) & M(s_{N_1+\dots+N_{m-1}+2}^O, x_1^O) & \cdots & M(s_N^O, x_1^O) \\ M(s_{N_1+\dots+N_{m-1}+1}^O, x_2^O) & M(s_{N_1+\dots+N_{m-1}+2}^O, x_2^O) & \cdots & M(s_N^O, x_2^O) \\ \vdots & \vdots & \ddots & \vdots \\ M(s_{N_1+\dots+N_{m-1}+1}^O, x_{N_1}^O) & M(s_{N_1+\dots+N_{m-1}+2}^O, x_{N_1}^O) & \cdots & M(s_N^O, x_{N_1}^O) \end{bmatrix}_{N_1 \times N_m}, \quad (42)$$

$$[M_{N1}^O] = \begin{bmatrix} M(s_1^O, x_{N_1+\dots+N_{m-1}+1}^O) & M(s_2^O, x_{N_1+\dots+N_{m-1}+1}^O) & \cdots & M(s_{N_1}^O, x_{N_1+\dots+N_{m-1}+1}^O) \\ M(s_1^O, x_{N_1+\dots+N_{m-1}+2}^O) & M(s_2^O, x_{N_1+\dots+N_{m-1}+2}^O) & \cdots & M(s_{N_1}^O, x_{N_1+\dots+N_{m-1}+2}^O) \\ \vdots & \vdots & \ddots & \vdots \\ M(s_1^O, x_N^O) & M(s_2^O, x_N^O) & \cdots & M(s_{N_1}^O, x_N^O) \end{bmatrix}_{N_m \times N_1}, \quad (43)$$

$$[M_{NN}^O] = \begin{bmatrix} A_{11} & \cdots & M(s_{N_1+\dots+N_{m-1}+1}^O, x_N^O) \\ \vdots & \ddots & \vdots \\ M(s_N^O, x_{N_1+\dots+N_{m-1}+1}^O) & \cdots & A_{NN} \end{bmatrix}_{N_m \times N_m}, \quad (44)$$

in which

$$A_{11} = - \left[ \sum_{j=N_1+\dots+N_{m-1}+1}^N M(s_j^I, x_{N_1+\dots+N_{m-1}+1}^I) - M(s_{N_1+\dots+N_{m-1}+1}^O, x_{N_1+\dots+N_{m-1}+1}^O) \right],$$

$$A_{NN} = - \left[ \sum_{j=N_1+\dots+N_{m-1}+1}^N M(s_j^I, x_N^I) - M(s_N^O, x_N^O) \right].$$

### 6 Derivation of influence matrices for piezoelectricity problems

Substituting Eqs. (25), (26), (35) and (36) into Eqs. (7) and (8), the linear algebraic system for the antiplane piezoelectricity problem can be obtained as:

$$\begin{bmatrix} -[T_w^I] & [T_w^O] & 0 & 0 \\ 0 & 0 & -[T_\phi^I] & [T_\phi^O] \\ -\frac{c_{44}^i}{c_{44}^m}[M_w^I] & -[M_w^O] & -\frac{e_{15}^i}{c_{44}^m}[M_\phi^I] & -\frac{e_{15}^m}{c_{44}^m}[M_\phi^O] \\ -[M_w^I] & -\frac{e_{15}^m}{e_{15}^i}[M_w^O] & \frac{\epsilon_{11}^i}{e_{15}^i}[M_\phi^I] & \frac{\epsilon_{11}^m}{e_{15}^i}[M_\phi^O] \end{bmatrix}_{4N \times 4N} \begin{Bmatrix} \{\alpha_w^i\} \\ \{\alpha_w^m\} \\ \{\alpha_\phi^i\} \\ \{\alpha_\phi^m\} \end{Bmatrix}_{4N \times 1} = \begin{Bmatrix} -\{w^\infty\} \\ -\{\phi^\infty\} \\ \left\{ \frac{\partial w^\infty}{\partial n} \right\} + \frac{e_{15}^m}{c_{44}^m} \left\{ \frac{\partial \phi^\infty}{\partial n} \right\} \\ \frac{e_{15}^m}{e_{15}^i} \left\{ \frac{\partial w^\infty}{\partial n} \right\} - \frac{\epsilon_{11}^m}{e_{15}^i} \left\{ \frac{\partial \phi^\infty}{\partial n} \right\} \end{Bmatrix}_{4N \times 1}, \quad (45)$$

where  $w$  and  $\phi$  denote the out-of-plane elastic displacement and electric potential, respectively. The unknown densities ( $\{\alpha_w^i\}$ ,  $\{\alpha_w^m\}$ ,  $\{\alpha_\phi^i\}$ ,  $\{\alpha_\phi^m\}$ ) in Eq. (45) can be obtained by implementing the linear algebraic solver and the stress concentration can be solved by using Eq. (3). To express clearly, the solution procedures is listed in Fig. 4.

### 7 Numerical examples

In order to show the accuracy and validity of the proposed method, the antiplane piezoelectricity problems with multiple inclusions subjected to the remote shear and the far-electric field are considered. Two examples contain single piezoelectric inclusion and two piezoelectric inclusions under the antiplane shear, respectively.

#### 7.1 Single piezoelectric inclusion

The single piezoelectric inclusion in a piezoelectric matrix is shown in Fig. 5.

In this case, the remote shear, shear modulus, piezoelectric modulus, dielectric modulus and elastic modulus are  $\tau = 5 \times 10^7 \text{ Nm}^{-2}$ ,  $e_{15}^i = 10.0 \text{ Cm}^{-2}$ ,  $\epsilon_{11}^m = \epsilon_{11}^i = 1.51 \times 10^{-8} \text{ CV}^{-1} \text{ m}^{-1}$  and  $c_{44}^m = c_{44}^i = 3.53 \times 10^{10} \text{ Nm}^{-2}$ , respectively. Stress concentrations versus different piezoelectric modulus ratio are shown in Figs. 6 and 7, respectively. When  $E = -10^6 \text{ V/m}$  and  $e_{15}^m/e_{15}^i = -10$  for negative poling direction, the negative maximum stress concentration occurs in the matrix of  $\theta = 0$  as shown in Fig. 6. However, the positive maximum stress concentration occurs in the matrix of  $\theta = \pi/2$  as shown in Fig. 7. Contours of electric potential  $\phi$  and shear




Figure 4: Flowchart of solution procedures

stress  $\sigma_{zy}^m$  are plotted in Fig. 8 (a)~(b), respectively. Good agreement is made after comparing with the analytical solution [Honein and Honein (1995)].

### 7.2 Two piezoelectric inclusions

Two piezoelectric inclusions in the piezoelectric matrix are shown in Fig. 9.




Figure 5: Problem sketch of a single piezoelectric inclusion

The remote loading and material constants are  $\tau = 5 \times 10^7 \text{Nm}^{-2}$ ,  $c_{44}^m = c_{44}^i = 3.53 \times 10^{10} \text{Nm}^{-2}$ ,  $\epsilon_{11}^m = \epsilon_{11}^i = 1.51 \times 10^{-8} \text{CV}^{-1} \text{m}^{-1}$  and  $e_{15}^i = 10.0 \text{Cm}^{-2}$ , respectively. Stress concentrations  $\sigma_{z\theta}^m/\tau$  versus different piezoelectric modulus ratios are plotted in Fig. 10. On the other hand, stress concentrations  $\sigma_{zr}^m/\tau$  versus different piezoelectric modulus ratios are respectively plotted in Fig. 11. The negative maximum stress concentration occurs in the matrix of  $\theta = 0$  and  $\beta = \pi/2$  as shown in Fig. 10 when  $E = -10^6 \text{v/m}$  and  $e_{15}^m/e_{15}^i = -10$ . However, the maximum stress concentration occurs in the matrix at  $\theta = \pi/2$  and  $\beta = \pi/2$  as shown in Fig. 11.

When  $E = 10^6 \text{v/m}$ ,  $e_{15}^m/e_{15}^i = -5$  and  $\beta = \pi/2$ , the tangential electric field along the boundaries of the matrix distribution function of the different ratios  $d/r_1$  are shown in Fig. 12 (a)~(c).

Stress concentrations of the different ratios of  $d/r_1$  at  $\beta = 0$  versus piezoelectric modulus ratio are shown in Fig. 13. It is found that the stress concentration factor becomes larger, when the two inclusions approach each other inclusion. The results are well compared with those of the method of successive approximations [Chao and Chang (1999)].

## 8 Conclusions

In this study, we employ the RMM to solve piezoelectricity problems with multiple inclusions under antiplane shear and in-plane electric field. Only the boundary nodes on the physical boundary are required. The major difficulty of the coincidence of the source and collocation points in the conventional MFS is then circumvented. Furthermore, the controversy of the fictitious boundary outside the physical




Figure 6: Stress concentration  $\sigma_{z\theta}^m / \tau$  result of a single piezoelectric inclusion in the piezoelectric matrix for different piezoelectric module ratios and electric field




Figure 7: Stress concentration  $\sigma_{zr}^m / \tau$  result of a single piezoelectric inclusion in the piezoelectric matrix for different piezoelectric module ratios and electric field




Figure 8: Contours result of a single piezoelectric inclusion in the piezoelectric matrix, (a) contours of constant for the electric potential  $\phi$ , (b) contours of constant for the shear stress  $\sigma^m_{zy}$




Figure 9: Problem sketch of two piezoelectric inclusions

domain by using the conventional MFS no longer exists. Although it results in the singularity and hypersingularity due to the use of double-layer potential, the finite values of the diagonal terms for the influence matrices have been determined by employing the regularization technique. The numerical results were obtained by applying the developed program to solve piezoelectricity problems through two examples. Numerical results agreed very well with the analytical solution [Honein and Honein (1995)] and those of the method of successive approximations [Chao and Chang (1999)].

**Acknowledgement:** Financial support from the National Science Council under Grant No. NSC-95-2221-E-197-026-MY3 to the first author for National Ilan




Figure 10: Stress concentration  $\sigma_z^m / \tau$  result of double piezoelectric inclusions in piezoelectric matrix for different piezoelectric module ratios and electric field




Figure 11: Stress concentration  $\sigma_{xr}^m / \tau$  result of double piezoelectric inclusions in piezoelectric matrix for different piezoelectric module ratios and electric field




Figure 12: Tangential electric field distribution along the boundaries of first inclusion for different ratios  $d/r_1$  with  $\beta = \pi/2$ , (a)  $d/r_1 = 10.0$ , (b)  $d/r_1 = 1.0$ , (c)  $d/r_1 = 0.1$

University is gratefully acknowledged.

**References**

Alves, C. J. S.; Antunes, P. R. S. (2005): The method of fundamental solutions applied to the calculation of eigenfrequencies and eigenmodes of 2D simply connected shapes. *CMC: Computers, Materials & Continua*, vol.2, pp.251-265.




Figure 13: Stress concentration for different ratios  $d/r_1$  of piezoelectric constants with  $\beta = 0$

**Atluri, S. N.; Liu, H. T.; Han, Z. D.** (2006): Meshless Local Petrov-Galerkin (MLPG) mixed collocation method for elasticity problems. *CMES: Computer Modeling in Engineering & Sciences*, vol.14, pp.141-152.

**Bleustein, J. L.** (1968): New surface wave in piezoelectric materials. *Applied Physics Letters*, vol.13, pp.412-413.

**Chao, C. K.; Chang, K. J.** (1999): Interacting circular inclusion in antiplane piezoelectricity. *International Journal of Solids and Structures*, vol.36, pp.3349-3373.

**Chen, C. S.; Golberg, M. A.; Hon, Y. C.** (1998): The method of fundamental solutions and quasi-Monte-Carlo method for diffusion equations. *International Journal for Numerical Methods in Engineering*, vol.43, pp.1421-1435.

**Chen, J. T.; Chang, M. H.; Chen, K. H.; Lin, S. R.** (2002): The boundary collocation method with meshless concept for acoustic eigenanalysis of two-dimensional cavities using radial basis function. *Journal of Sound and Vibration*, vol.257, pp.667-711.

**Chen, J. T.; Chang, M. H.; Chen, K. H.; Chen, I. L.** (2002): Boundary collocation method for acoustic eigenanalysis of three-dimensional cavities using radial

basis function. *Computational Mechanics*, vol.29, pp.392-408.

**Chen, J. T.; Chen, I. L.; Chen, K. H.; Lee, Y. T.; Yeh, Y. T.** (2004): A meshless method for free vibration of arbitrarily shaped plates with clamped boundaries using radial basis function. *Engineering Analysis with Boundary Elements*, vol.28, pp.535-545.

**Chen, J. T.; Kuo, S. R.; Chen, K. H.; Cheng, Y. C.** (2000): Comments on vibration analysis of arbitrary shaped membranes using nondimensional dynamic influence function. *Journal of Sound and Vibration*, vol.235, pp.156-171.

**Chen, K. H.; Chen, J. T.; Kao, J. H.** (2008): Regularized meshless method for antiplane shear problems with multiple inclusions. *International Journal for Numerical Methods in Engineering*, vol.73, pp.1251-1273.

**Chen, K. H.; Kao, J. H.; Chen, J. T.; Young, D. L.; Lu, M. C.** (2006): Regularized meshless method for multiply-connected-domain Laplace problems. *Engineering Analysis with Boundary Elements*, vol.30, pp.882-896.

**Chen, T.; Chiang, S. C.** (1997): Electroelastic fields and effective moduli of a medium containing cavities or rigid inclusions of arbitrary shape under anti-plane mechanical and in-plane electric fields. *Acta Mechanica*, vol.121, pp.79-96.

**Chen, W.** (2002): Meshfree boundary particle method applied to Helmholtz problems. *Engineering Analysis with Boundary Elements*, vol.26, pp.577-581.

**Chen, W.; Tanaka, M.** (2002): A meshfree integration-free and boundary-only RBF technique. *Computers & Mathematics with Applications*, vol.43, pp.379-391.

**Chen, W.; Song, R. C.** (2009): Analytical diagonal elements of regularized meshless method for regular domain Dirichlet problems. *Engineering Analysis with Boundary Elements*, Submitted.

**Cheng, A. H. D.** (2000): Particular solutions of Laplacian, Helmholtz-type, and polyharmonic operators involving higher order radial basis functions. *Engineering Analysis with Boundary Elements*, vol.24, pp.531-538.

**Chung, M. Y.; Ting, T. C. T.** (1996): Piezoelectric solid with an elliptic inclusion or hole. *International Journal of Solids and Structures*, vol.33, pp.3343-3361.

**Fairweather, G.; Karageorghis, A.** (1998): The method of fundamental solutions for elliptic boundary value problems. *Advances in Computational Mathematics*, vol.9, pp.69-95.

**Godinho, L.; Tadeu, A.; Amado, P.** (2007): Mendes wave propagation around thin structures using the MFS. *CMC: Computers, Materials & Continua*, vol.5, pp.117-127.

**Han, Z. D.; Atluri, S. N.** (2004): A Meshless Local Petrov-Galerkin (MLPG) Approach for 3-Dimensional Elasto-dynamics. *CMC: Computers, Materials & Con-*

*tinua*, vol.1, pp.129-140.

**Honein, E.; Honein, T.; Herrmann, G.** (1992): On two circular inclusions in harmonic problems. *Quarterly of Applied Mathematics*, vol.50, pp.479-499.

**Honein, T.; Honein, B. V.** (1995): On the interaction of two piezoelectric fibers embedded in an intelligent material. *Journal of Intelligent Material Systems and Structures*, vol.6, pp.229-236.

**Kupradze, V. D.; Aleksidze, M. A.** (1964): The method of functional equations for the approximate solution of certain boundary value problems. *U.S.S.R. Computational Mathematics and Mathematical Physics*, vol.4, pp.199-205.

**Li, Shu and Atluri, S. N.** (2008): The MLPG Mixed Collocation Method for Material Orientation and Topology Optimization of Anisotropic Solids and Structures. *CMES: Computer Modeling in Engineering & Sciences*, vol.30, pp.37-56.

**Liu, H. T.; Han, Z. D., Rajendran, A. M.; Atluri, S. N.** (2006): Computational modeling of impact response with the RG damage model and the Meshless Local Petrov-Galerkin (MLPG) approaches. *CMC: Computers, Materials & Continua*, vol.4, pp.43-54.

**Pak, Y. E.** (1992): Circular inclusion problem in antiplane piezoelectricity. *International Journal of Solids and Structures*, vol.29, pp.2403-2419.

**Poullikkas, A.; Karageorghis, A.; Georgiou, G.** (1998): Methods of fundamental solutions for harmonic and biharmonic boundary value problems. *Computational Mechanics*, vol.21, pp.416-423.

**Reutskiy, S.Y.** (2005): The method of fundamental solutions for eigenproblems with Laplace and biharmonic operators. *CMC: Computers, Materials & Continua*, vol.2, pp.177-188.

**Sladek, J.; Sladek, V.; Atluri, S. N.** (2004): Meshless Local Petrov-Galerkin Method in Anisotropic Elasticity. *CMES: Computer Modeling in Engineering & Sciences*, vol.6, pp.477-490.

**Sladek, J.; Sladek, V.; Zhang, Ch.** (2007): Dynamic crack analysis in functionally graded piezoelectric solids by Meshless Local Petrov-Galerkin method. *Key Engineering Materials*, vol.348-349, pp.149-152.

**Sladek, J.; Sladek, V.; Zhang, Ch.; Garcia-Sanche, F.; Wünsche, M.** (2006): Meshless Local Petrov-Galerkin Method for Plane Piezoelectricity. *CMC: Computers, Materials & Continua*, vol.4, pp.109-117.

**Sladek, J.; Sladek, V.; Solek, P.; Wen, P. H.** (2008): Modeling of smart structures by meshless local integral equation method. *Computational Methods in Applied Sciences*, vol.14, pp.263-275.

**Sladek, J.; Sladek, V.; Solek, P.; Wen, P. H.; Atluri, S. N.** (2008): Thermal

analysis of Reissner-Mindlin shallow shells with FGM properties by the MLPG. *CMES: Computer Modeling in Engineering & Sciences*, vol.30, pp.77-97.

**Song, R. C.; Chen, W.** (2009): A note on the regularized meshless method for irregular domain problems. *Engineering Analysis with Boundary Elements*, Submitted.

**Stroh, A. N.** (1962): Steady state problems in anisotropic elasticity. *Journal of Mathematics and Physics*, vol.41, pp.77-103.

**Sze, K. Y.; Jin, W. G.; Sheng, N.; Li, J.** (2003): Trefftz methods for plane piezoelectricity. *CAMES: Computer Assisted Mechanics and Engineering Sciences*, vol.10, pp.619-627.

**Tsangaris, T.; Smyrlis, Y. S.; Karageorghis, A.** (2004): A matrix decomposition MFS algorithm for biharmonic problems in annular Domains. *CMC: Computers, Materials & Continua*, vol.1, pp.245-258.

**Wu, C. P. and Syu, Y. S.** (2006): Asymptotic Solutions for Multilayered Piezoelectric Cylinders under Electromechanical Loads. *CMC: Computers, Materials & Continua*, vol.4, pp.87-107.

**Wu, L.; Chen, J.; Meng, Q.** (2000): Two piezoelectric circular cylindrical inclusions in the infinite piezoelectric medium. *International Journal of Engineering Science*, vol.38, pp.879-892.

**Young, D. L.; Chen, K. H.; Lee, C. W.** (2005): Novel meshless method for solving the potential problems with arbitrary domain. *Journal of Computational Physics*, vol.209, pp.290-321.

**Young, D. L.; Chen, K. H.; Lee, C. W.** (2006): Singular meshless method using double layer potentials for exterior acoustics. *The Journal of the Acoustical Society of America*, vol.119, pp.96-107.

**Young, D. L.; Tsai, C. C.; Lin, Y. C.; Chen, C. S.** (2006): The method of fundamental solutions for eigenfrequencies of plate vibrations. *CMC: Computers, Materials & Continua*, vol.4, pp.1-10.

